

ConnectiCare updated its preventive health services coverage to comply with the federal health reform law. Under this law, new health plans beginning on or after September 23, 2010, will provide certain basic preventive health services with no copayments, deductibles, or coinsurance costs if provided by participating (“in-network”) ConnectiCare health care providers. Preventive care changes under the health reform law may not apply to grandfathered plans, which are any group or individual health plans that were in effect on March 23, 2010, and have not made certain changes to coverage as described in the law.

In order to receive accurate payments for preventive health services, it's important to use the correct coding.

If you have questions about your patient's health plan, call ConnectiCare's Provider Services at 1-800-828-3407 for assistance.

Please make sure to:

- Submit the ICD-9 code that describes the preventive care services. These services cannot be for the treatment of an illness or injury.
- Identify the preventive service as the primary diagnosis code on the claim form. If the primary diagnosis code represents the treatment of an illness or injury, the claim **will not be** considered a preventive health service and the claim will be processed according to the patient's Plan benefits.

General Preventive Services

- [Preventive screenings & counseling \(including screening for BRCA\)](#)

Specific Preventive Screenings

- [Abdominal Aortic Aneurysm \(AAA\) screening](#)
- [Alcohol screening](#)
- [Autism, psychosocial/behavioral and developmental screening](#)
- [Blood count](#)
- [Breast feeding support](#)
- [Chlamydia screening](#)
- [Colon cancer screening \(procedures\)](#)
- [Colon cancer screening \(lab test–stool for occult blood\)](#)
- [Diabetes screening \(glucose testing\)](#)
- [Diet counseling for members with hyperlipidemia](#)
- [Gonorrhea screening](#)
- [Hearing screening](#)
- [Hematocrit screening](#)
- [Hemoglobin screening](#)
- [HIV testing](#)
- [Lead screening](#)
- [Lipid screening](#)
- [Mammography](#)
- [Newborn: Hypothyroidism screening in newborns](#)
- [Newborn: PKU screening in newborns](#)
- [Newborn: Sickle cell screening in newborns](#)
- [Obesity screening and interventions](#)
- [Osteoporosis screening](#)
- [Pap smear](#)
- [Pregnancy screening-HepB, iron deficiency, Rh \(D\)](#)
- [Pregnancy: Bacteriuria screening](#)
- [Pregnancy: Hepatitis B screening](#)
- [Rh \(D\) typing](#)
- [Smoking cessation](#)
- [Syphilis screening](#)
- [TB testing](#)
- [Vision screening in children](#)

Immunizations

- [Immunization Administration](#)
- [Hepatitis A](#)
- [Hepatitis A/Hepatitis B Combo](#)
- [Hepatitis B](#)
- [Hepatitis B/HIB Combo](#)
- [Herpes Zoster Vaccine](#)
- [HIB \(Hemophilus influenza b\)](#)
- [HPV \(Human Papillomavirus\) Vaccine](#)
- [Influenza \(flu\) Vaccine](#)
- [Measles Immunization](#)
- [Measles-Rubella Immunization](#)
- [Measles-Mumps-Rubella \(MMR\) Virus Immunization](#)
- [Measles-Mumps-Rubella-Varcella \(MMRV\)](#)
- [Meningitis Vaccine](#)
- [Mumps Immunization](#)
- [Pneumococcal Vaccine–Infant](#)
- [Pneumococcal Vaccine, 13 valent](#)
- [Pneumococcal Vaccine–Over age 2 and adult](#)
- [Poliovirus, oral \(OPV\) Immunization](#)
- [Poliomyelitis, inactivated \(IPV\) Immunization](#)
- [Rotavirus Vaccine](#)
- [Rubella Immunization](#)
- [Varicella](#)
- [DTaP-IPV](#)
- [Diphtheria, tetanus, acellular pertussis, HIB, polio \(DTaP-HIB-IPV\)](#)
- [Diphtheria, tetanus, acellular pertussis \(DTaP\)](#)
- [Diphtheria, tetanus, pertussis \(DTP\)](#)
- [Diphtheria, tetanus \(DT\)](#)
- [Diphtheria](#)
- [Diphtheria, tetanus, pertussis HIB \(DTP-HIB\)](#)

Immunizations (continued)

- [Diphtheria, tetanus, acellular pertussis, HIB \(DTaP-HIB\)](#)
- [Diphtheria, tetanus, acellular pertussis, hepatitis B, polio \(DTaP-HepB-IPV\)](#)
- [Tetanus toxoid](#)
- [Tetanus, diphtheria preservative free \(Td\), age 7 or older](#)
- [Tetanus, diphtheria, acellular pertussis \(Tdap\), age 7 or older](#)
- [Tetanus, diphtheria \(Td\)](#)

Pharmacy

- [Aspirin for the prevention of cardiovascular disease](#)
- [Folic acid supplements for women of child-bearing age](#)
- [Iron supplements for children](#)
- [Oral fluoride supplements for children](#)

Appendix

- [U.S. Preventive Services Task Force recommendations](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Preventive screenings & counseling (including screening for BRCA)	99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397	None	Frequency: Cost share waived on use of one code/member/yr. Age Band: All Gender: M/F Comment: EKG is NOT exempt from deductible and subject to applicable cost share.
	99381, 99382, 99383, 99391, 99392, 99393	None	Frequency: Unlimited Age Band: All Gender: M/F
	99420	None	Frequency: 1x/year Age Band: All Gender: M/F
	99401, 99402, 99403, 99404	None	Frequency: Cost share waived on use of one code/member/yr. Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Abdominal Aortic Aneurysm (AAA) screening	76770, 76775, G0389	V812	Frequency: 1x/lifetime Age Band: 65-75 years Gender: M

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Alcohol screening	99408, 99409	V791	Frequency: 1x/year Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Autism, psychosocial/behavioral and developmental screening	96110	None	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: PCP only

[Back to Top](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Blood count	85025, 85027	V.22.0, V22.1, V22.2, V23.0, V23.1, V23.2, V23.3, V23.41, V23.49, V23.5, V23.7, V23.81, V23.82, V23.83, V23.84, V23.85, V23.86, V23.89, V23.9	Frequency: N/A Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Breast feeding support	99501, 99502	None	Frequency: one per 10 rolling months Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Chlamydia screening	86631, 86632, 87110, 87140, 87270, 87320, 87490, 87491, 87492, 87800, 87801, 87810	V22.0, V22.1, V22.2, V23.0, V23.1, V23.2, V23.3, V23.41, V23.49, V23.5, V23.7, V23.81, V23.82, V23.83, V23.84, V23.85, V23.86, V23.89, V23.9, V7388, V7398	Frequency: 1x/year Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Colon cancer screening (procedures)	0270–0272, 0370, 0710, 00810, 44388, 44389, 44391, 44392, 44393, 44394, 45300, 45303, 45305, 45308, 45309, 45315, 45317, 45320, 45331, 45338, 45339, 45378, 45380, 45382, 45383, 45384, 45385, 88305, S3890, G0104, G0105, G0106, G0121, G0328	V16.0, V18.51, V76.41, V76.50, V76.51	Frequency: 1x/year Age Band: 50-75 years Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Colon cancer screening (lab test–stool for occult blood)	82270, 82274	None	Frequency: 1x/year Age Band: 50-75 years Gender: M/F

[Back to Top](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Diabetes screening (glucose testing)	82947, 82948, 82950, 82962, 83036, 83051	V771	Frequency: 1x/year Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Diet counseling for members with hyperlipidemia	S9470, 97802, 97803, 97804, 0942	2720–2724	Frequency: 1x/year Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Gonorrhea screening	87081, 87205, 87590, 87591, 87592, 87800, 87801, 87850	None	Frequency: 1x/year Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Hearing screening	0470, 0471, 0479, 92551, 92566, 92568, 92585, 92586, 92587, 92588	V700 or V202	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: Any PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Hematocrit screening	85014	None	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Hemoglobin screening	85018	None	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
HIV testing	S3645, 86689, 86701, 86702, 86703, 87081, 87390, 87534, 87535, 87536	None	Frequency: Unlimited Age Band: All Gender: M/F

[Back to Top](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Lead screening	83655	None	Frequency: 1x/year Age Band: 0-6 years Gender: M/F Comment: PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Lipid screening	80061, 82465, 83718, 83721, 84478	V7791	Frequency: 1x/year Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Mammography	0401, 0403, 77051, 77052, 77055, 77056, 77057, G0202, G0204, G0206	V7611, V7612, V7610 or V7619	Frequency: 1x/year Age Band: 40+ years Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Newborn: Hypothyroidism screening in newborns	84437, 84443	None	Frequency: 1x/year Age Band: 0-100 days Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Newborn: PKU screening in newborns	84030	None	Frequency: 1x/year Age Band: 0-100 days Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Newborn: Sickle cell screening in newborns	87143	None	Frequency: 1x/year Age Band: 0-100 days Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Obesity screening and interventions	S9470, 97802, 97803, 97804, 0942	V8535 or V8536 or V8537 or V8538 or V8539 or V854	Frequency: 4x/year Age Band: All Gender: M/F

[Back to Top](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Osteoporosis screening	76977, 77078, 77079, 77080, 77081, 77083, G0134	V1781, V8281	Frequency: Every 23 months Age Band: 60+ years Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Pap smear	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88155, 88164, 88165, 88166, 88167, 88174, 88175	None	Frequency: 1x/year Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Pregnancy screening-HepB, iron deficiency, Rh (D)	80055	None	Frequency: 1x/year Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Pregnancy: Bacteriuria Screening	87086, 87088	V.22.0, V22.1, V22.2, V23.0, V23.1, V23.2, V23.3, V23.41, V23.49, V23.5, V23.7, V23.81, V23.82, V23.83, V23.84, V23.85, V23.86, V23.89, V23.9	Frequency: N/A Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Pregnancy: Hepatitis B screening	87340	V.22.0, V22.1, V22.2, V23.0, V23.1, V23.2, V23.3, V23.41, V23.49, V23.5, V23.7, V23.81, V23.82, V23.83, V23.84, V23.85, V23.86, V23.89, V23.9, 630-679.14	Frequency: N/A Age Band: All Gender: F

[Back to Top](#)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Rh (D) typing	86901	V.22.0, V22.1, V22.2, V23.0, V23.1, V23.2, V23.3, V23.41, V23.49, V23.5, V23.7, V23.81, V23.82, V23.83, V23.84, V23.85, V23.86, V23.89, V23.9, 630–679.14	Frequency: N/A Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Smoking cessation	99406, 99407, C9801, C9802, G0436, G0437	V1582	Frequency: 1x/year Age Band: All Gender: M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Syphilis screening	86592, 86593, 86781, 87164, 87166, 87285	None	Frequency: 1x/year Age Band: All Gender: F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
TB testing	86580	None	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-9 PAIRING	GUIDELINES
Vision screening in children	99172, 99173	V202, V70, V700, V708, V709	Frequency: 1x/year Age Band: 0-21 years Gender: M/F Comment: PCP only

[Back to Top](#)

***Note: It is expected that immunizations will be provided in accordance with U.S. Food and Drug Administration licensure and Center for Disease Control guidelines.**

[Back to Top](#)

IMMUNIZATION*	PROCEDURE CODE	ICD-9 PAIRING
Immunization Administration	90460, 90461, 90465, 90466, 90468, 90471, 90472, 90473, 90474	None
Hepatitis A	90632, 90633, 90634	None
Hepatitis A/Hepatitis B Combo	90636	None
Hepatitis B	90740, 90743, 90744, 90746, 90747	None
Hepatitis B/HIB Combo	90748	None
Herpes Zoster Vaccine	90736	None
HIB (Hemophilus influenza b)	90645, 90646, 90647, 90648	None
HPV (Human Papillomavirus) Vaccine	90649, 90650	None
Influenza (flu) Vaccine	90654, 90655, 90656, 90657, 90658	None
	90660 (FluMist)	None
	90662 (Fluzone High Dose)	None
Measles Immunization	90705	None
Measles-Rubella Immunization	90708	None
Measles-Mumps-Rubella (MMR) Virus Immunization	90707	None
Measles-Mumps-Rubella-Varcella (MMRV)	90710	None
Meningitis Vaccine	90733, 90734	None
Mumps Immunization	90704	None
Pneumococcal Vaccine—Infant	90669	None
Pneumococcal Vaccine, 13 valent	90670	None
Pneumococcal Vaccine—Over age 2 and adult	90732	None
Poliovirus, oral (OPV) Immunization	90712	None
Poliomyelitis, inactivated (IPV) Immunization	90713	None
Rotavirus Vaccine	90680	None
	90681	None
Rubella Immunization	90706	None
Varicella	90716	None

Immunizations Continued on Next Page

[Back to Top](#)

[Back to Top](#)

IMMUNIZATION*	PROCEDURE CODE	ICD-9 PAIRING
DTAP-IPV	90696	None
Diphtheria, tetanus, acellular pertussis, HIB, polio (DTaP-HIB-IPV)	90698	None
Diphtheria, tetanus, acellular pertussis (DTaP)	90700	None
Diphtheria, tetanus, pertussis (DTP)	90701	None
Diphtheria, tetanus (DT)	90702	None
Diphtheria	90719	None
Diphtheria, tetanus, pertussis HIB (DTP-HIB)	90720	None
Diphtheria, tetanus, acellular pertussis, HIB (DTaP-HIB)	90721	None
Diphtheria, tetanus, acellular pertussis, hepatitis B, polio (DTaP-HepB-IPV)	90723	None
Tetanus toxoid	90703	None
Tetanus, diphtheria preservative free (Td), age 7 or older	90714	None
Tetanus, diphtheria, acellular pertussis (Tdap), age 7 or older	90715	None
Tetanus, diphtheria (Td)	90718	None

[Back to Top](#)

***Note: It is expected that immunizations will be provided in accordance with U.S. Food and Drug Administration licensure and Center for Disease Control guidelines.**

PHARMACY	
Aspirin for the prevention of cardiovascular disease	<ul style="list-style-type: none"> Coverage of over the counter low-dose aspirin when prescribed by a physician

[Back to Top](#)

PHARMACY	
Folic acid supplements for women of child-bearing age	<ul style="list-style-type: none"> Coverage of folic acid supplements with no cost share when prescribed by a physician For females ages 15-45 years

[Back to Top](#)

PHARMACY	
Iron supplements for children	<ul style="list-style-type: none"> Coverage of iron supplements with no cost share when prescribed by a physician For children between 6 & 12 months

[Back to Top](#)

PHARMACY	
Oral fluoride supplements for children	<ul style="list-style-type: none"> Coverage of fluoride supplements with no cost share when prescribed by a physician For children between 6 months and 5 years of age

[Back to Top](#)