

Commercial/Healthcare Exchange PA Criteria

Effective: August 11, 2020

Prior Authorization: Sirturo

Products Affected: Sirturo (bedaquiline fumarate) 20 mg oral tablets

Medication Description: Sirturo is a diarylquinoline antimycobacterial, that inhibits the proton transfer chain of mycobacterial ATP synthase required for energy generation in *M. tuberculosis*. Sirturo (bedaquiline) is indicated as part of combination therapy in adult and pediatric patients with pulmonary multi-drug resistant tuberculosis (MDR-TB). Sirturo should be reserved for use when an effective treatment regimen cannot otherwise be provided.

Covered Uses: Pulmonary multidrug resistant tuberculosis (MDR-TB)

Exclusion Criteria:

1. Latent infection due to *Mycobacterium tuberculosis*
2. Drug-sensitive tuberculosis
3. Extra-pulmonary tuberculosis
4. Infections caused by non-tuberculous mycobacteria
5. HIV-infected patients with multi-drug resistant tuberculosis (MDR-TB)

Required Medical Information:

1. Diagnosis
2. Current therapy regimen
3. Patient weight

Age Restrictions: 5 years of age or older

Prescriber Restrictions: Prescribed by, or in consultation with, infectious disease specialist or pulmonologist.

Coverage Duration: 24 weeks

Other Criteria:

Pulmonary multidrug resistant tuberculosis

- A. Sirturo will be used as one of the following:
 - i. In combination with at least 3 other drugs to which the patient's MDR-TB isolate has been shown to be susceptible in vitro; OR
 - ii. In combination with at least 4 other drugs to which patient's MDR-TB isolate is likely to be susceptible, if in vitro testing results are unavailable; AND
- B. Patient weighs at least 15kg or greater

References:

1. Sirturo prescribing information. Titusville, NJ: Janssen Therapeutics, Inc.; 2019 August

Policy Revision history

Rev #	Type of Change	Summary of Change	Sections Affected	Date
1	New Policy	New Policy	All	8/11/2020

