

# A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS

(COMMERCIAL PLANS ONLY)



ConnectiCare updated its preventive health services coverage to comply with the federal health reform law. Under this law, new health plans beginning on or after September 23, 2010, will provide certain basic preventive health services with no copayments, deductibles, or coinsurance costs if provided by participating in-network ConnectiCare health care providers. Preventive care changes under the health reform law may not apply to grandfathered plans, which are any group or individual health plans that were in effect on March 23, 2010, and have not made certain changes to coverage as described in the law.

In order to receive accurate payments for preventive health services, it's important to use the correct coding.

Please make sure to:

- Submit the ICD-10 code that describes the preventive care services. These services cannot be for the treatment of an illness or injury.
- Identify the preventive service as the primary diagnosis code on the claim form. If the primary diagnosis code represents the treatment of an illness or injury, the claim **will not be** considered a preventive health service and the claim will be processed according to the patient's Plan benefits.

Your patient's health plan may cover more preventive services than listed below. If you have questions about your patient's health plan, call ConnectiCare's Provider Services at 1-800-828-3407 for assistance.

## General Preventive Services

- [Preventive screenings and counseling](#)

## Specific Preventive Screenings

- [Abdominal Aortic Aneurysm \(AAA\) screening](#)
- [Alcohol screening](#)
- [Autism, psychosocial/behavioral and developmental screening](#)
- [Breast cancer, counseling for genetic screening](#)
- [Breast cancer, genetic testing \(BRCA\)](#)
- [Breast feeding support](#)
- [Breast pumps](#)
- [Breast pump supplies](#)
- [Chlamydia screening](#)
- [Colonoscopy, pre-procedure screening with a gastroenterologist](#)
- [Colon cancer screening \(Ancillary services\)](#)
- [Colon cancer screening \(Procedures\)](#)
- [Colon cancer screening \(Lab test – stool for occult blood\)](#)
- [Contraceptive counseling](#)
- [Contraceptive counseling and treatment \(Emergency\)](#)
- [Contraceptive methods](#)
- [Contraceptive methods \(Ancillary services\)](#)
- [Dental Caries Prevention](#)
- [Depression screening](#)
- [Diabetes screening](#)
- [Diabetes screening, gestational](#)
- [Dietary counseling \(Individuals with hyperlipidemia, cardiovascular risk factors\)](#)
- [Gonorrhea screening](#)
- [Gynecological exam](#)
- [Hearing screening](#)
- [Hematocrit/Hemoglobin screening in children/adolescents](#)
- [Hepatitis B screening](#)
- [Hepatitis C screening](#)
- [HIV testing](#)
- [Human Papillomavirus \(HPV\) screening](#)
- [Lead screening](#)
- [Lipid screening](#)
- [Lung Cancer screening](#)
- [Mammography](#)
- [Maternity, antepartum/prenatal care](#)
- [Maternity, Global](#)
- [Maternity, initial visit](#)
- [Medical Nutrition Therapy \(Telehealth\)](#)
- [Newborn screening, hypothyroidism](#)
- [Newborn screening, PKU](#)
- [Newborn screening, sickle cell disease](#)
- [Obesity screening and interventions](#)
- [Osteoporosis screening](#)
- [Pap smear](#)
- [Physical Therapy for fall prevention](#)
- [Pregnancy, bacteriuria screening](#)
- [Pregnancy, blood count](#)
- [Pregnancy, Hepatitis B screening](#)
- [Pregnancy, Rh \(D\) typing](#)
- [Pregnancy screening panel – includes Hepatitis B, blood count, Rh\(D\) and syphilis](#)
- [Sexually transmitted infections, counseling](#)
- [Smoking cessation \(individual & group counseling\)](#)
- [Smoking cessation \(telephone counseling\)](#)
- [Sterilization](#)
- [Sterilization \(Ancillary services\)](#)
- [Syphilis screening](#)
- [TB testing](#)
- [Vision screening in children](#)

## Immunizations

- [Immunization administration](#)
- [Diphtheria](#)
- [Diphtheria, tetanus \(DT\)](#)
- [Diphtheria, tetanus, acellular pertussis \(DTaP\)](#)
- [Diphtheria, tetanus \(Td\)](#)
- [Diphtheria, tetanus, acellular pertussis \(Tdap\), age 7 or older](#)
- [Diphtheria, tetanus, acellular pertussis, Hepatitis B, polio \(DTaP-HepB-IPV\)](#)
- [Diphtheria, tetanus, acellular pertussis, HIB \(DTaP-HIB\)](#)
- [Diphtheria, tetanus, acellular pertussis, HIB, polio \(DTaP-HIB-IPV\)](#)
- [Diphtheria, tetanus, pertussis \(DTP\)](#)
- [Diphtheria, tetanus, pertussis HIB \(DTP-HIB\)](#)
- [Diphtheria preservative free, tetanus \(Td\), age 7 or older](#)
- [DTAP-IPV](#)
- [Hepatitis A](#)
- [Hepatitis A/Hepatitis B Combo](#)
- [Hepatitis B](#)
- [Hepatitis B/HIB Combo](#)
- [Herpes Zoster Vaccine](#)
- [HIB \(Hemophilus influenza b\)](#)
- [HPV \(Human Papillomavirus\) Vaccine](#)
- [Influenza \(flu\) Vaccine](#)
- [Measles Immunization](#)
- [Measles-Mumps-Rubella \(MMR\) Virus Immunization](#)
- [Measles-Mumps-Rubella-Varcella \(MMRV\)](#)
- [Measles-Rubella Vaccination](#)
- [Meningitis Vaccine](#)
- [Meningitis-HIB Vaccine](#)
- [Mumps Immunization](#)
- [Pneumococcal Vaccine, 7 valent](#)
- [Pneumococcal Vaccine, 13 valent](#)
- [Pneumococcal Vaccine, over age 2 and adult](#)
- [Poliomyelitis, inactivated \(IPV\) Immunization](#)
- [Rotavirus Vaccine](#)
- [Rubella Immunization](#)
- [Varicella](#)

## Pharmacy

- [Aspirin for the prevention of cardiovascular disease](#)
- [Bowel preparation agents](#)
- [Breast cancer primary prevention](#)
- [Cholesterol /Statin Prevention](#)
- [Contraceptives](#)
- [Folic acid supplements for women of child-bearing age](#)
- [Oral fluoride supplements for children](#)
- [Smoking Cessation](#)
- [Vitamin D supplements for fall prevention](#)

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Preventive screenings and counseling	99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397	None	<b>FOR MEN:</b> <b>Frequency:</b> Cost-share waived on use of one code/member/year <b>Age Band:</b> All <b>Comment:</b> EKG is NOT exempt from deductible and subject to applicable cost-share.
			<b>FOR WOMEN:</b> <b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Comment:</b> EKG is NOT exempt from deductible and subject to applicable cost-share.
	99381, 99382, 99383, 99391, 99392, 99393	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> MF
	96160, 96161	None	<b>FOR MEN:</b> <b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>FOR WOMEN:</b> <b>Frequency:</b> Unlimited <b>Age Band:</b> All
99401, 99402, 99403, 99404	None	None	<b>FOR MEN:</b> <b>Frequency:</b> Cost-share waived on use of one code/member/year <b>Age Band:</b> All
			<b>FOR WOMEN:</b> <b>Frequency:</b> Unlimited <b>Age Band:</b> All

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Abdominal Aortic Aneurysm (AAA) screening	76706	Z87.891	<b>Frequency:</b> 1x/lifetime <b>Age Band:</b> 65-75 years <b>Gender:</b> M

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Alcohol screening	99408, 99409, G0396, G0397, G0442, G0443	Z13.89	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> MF

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Autism, psychosocial/behavioral and developmental screening	96110, 96127	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-21 years <b>Gender:</b> M/F <b>Comment:</b> PCP only

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Breast cancer, counseling for genetic testing	96040	Z85.3, Z85.43, Z80.3, Z80.41	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Breast cancer, genetic testing (BRCA)	81211, 81212, 81213, 81214, 81215, 81216, 81217	None	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Breast feeding support	99501, 99502, 97802, 97803	Z39. 1	<b>Frequency:</b> 8x/year <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Breast pumps	E0602, E0603, E0604	None	<b>Frequency:</b> One per 10 rolling months <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Breast pump supplies	A4281, A4282, A4283, A4284, A4285, A4286	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Chlamydia screening	86631, 86632, 87110, 87140, 87270, 87320, 87490, 87491, 87492, 87800, 87801, 87810	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.291, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.811–O09.813, O09.819, O09.821–O09.823, O09.829, O09.70–O09.73, O09.891–O09.893, O09.899, O09.90–O09.93, Z11.8	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Colonoscopy, pre-procedure screening with a gastroenterologist	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215	Z01.818	<b>Frequency:</b> 1x/year <b>Age Band:</b> 50-75 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Colon cancer screening (Ancillary services)	00812, 88305, 0270, 0271, 0272, 0370, 0710	D12.0–D12.6, K63.5, D12.7–D12.9, D13.9, K64.0, K64.1–K64.3, K64.8, K57.30, K57.50, K57.90, K57.20, K57.32, K57.40, K57.52, K57.80, K57.92, K62.0, K62.1, K62.5, K92.1, K92.2, Z85.038, Z85.048, V87.19, Z86.010, Z87.19, Z80.0, Z83.71, Z83.79, Z12.12, Z12.10, Z12.11	<b>Frequency:</b> 1x/year <b>Age Band:</b> 50-75 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Colon cancer screening (Procedures)	44388, 44389, 44391, 44392, 44394, 44401, 45300, 45303, 45305, 45308, 45309, 45315, 45317, 45320, 45330, 45331, 45333, 45338, 45346, 45378, 45380, 45381, 45382, 45384, 45385, 45388, 74263, G0104, G0105, G0106, G0121, G0328	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 50-75 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Colon cancer screening (Lab test—stool for occult blood, Cologuard)	82270, 82274, 81528	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 50-75 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Contraceptive counseling	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215	Z30.011, Z30.013, Z30.014, Z30.018, Z30.02, Z30.09, Z30.430, Z30.432, Z30.433, Z30.2, Z30.40, Z30.41, Z30.431, Z30.42, Z30.49, Z30.019	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Contraceptive counseling and treatment (Emergency)	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99281, 99282, 99283, 99284, 99285, 0450	Z30.012	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**

(COMMERCIAL PLANS ONLY)



[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Contraceptive methods	A4261, A4266, A4268, A4269, J1050, J7300, J7301, J7304, J7306, J7307, J7296, J7297, J7298	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F
	96372	Z30.09, Z30.42, Z30.49, Z30.9	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F
	11976, 11980, 11981, 11982, 11983	Z30.49, Z30.019	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F
	58300, 58301, 58562	Z30.430, Z30.432, Z30.433, Z30.431	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Contraceptive methods (Ancillary services)	00851, 88302, 88305, 0250, 0258, 0270, 0271, 0272, 0278, 0279, 0370, 0710, S4981, S4989	Z30.430, Z30.432, Z30.433, Z30.431, Z30.49, Z30.019	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Dental Caries Prevention	99188	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> 0-5 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Depression screening	G0444	Z13.89	<b>Frequency:</b> 1x/year <b>Age Band:</b> 12 years and over <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Diabetes screening	82947, 82948, 82950, 82962, 83036	Z13.1	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Diabetes screening, gestational	82947, 82950, 82951, 82962, 83036	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219,	<b>Frequency:</b> 2x/year <b>Age Band:</b> All <b>Gender:</b> F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**



(COMMERCIAL PLANS ONLY)

		O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93	
--	--	--	--

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Dietary counseling (Individuals with hyperlipidemia, cardiovascular risk factors)	97802, 97803, 97804, G0446, S9470, 0942	Z87.891, Z82.49, Z71.3, Z13.89, Z13.220	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Gonorrhea screening	87590, 87591, 87592, 87850	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Gynecological exam	99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Hearing screening	92551, 92552, 92553, 92558, 92568, 92585, 92586, 0470, 0471, 0479	Z00.121, Z00.129, Z00.00, Z00.01	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-21 years <b>Gender:</b> M/F <b>Comment:</b> PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Hematocrit/Hemoglobin screening in children/adolescents	85014, 85018	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-21 years <b>Gender:</b> M/F <b>Comment:</b> PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Hepatitis B screening	87340, 87341, G0499	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> M/F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**



(COMMERCIAL PLANS ONLY)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Hepatitis C screening	86803, 87902	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
HIV testing	86689, 86701, 86702, 86703, 87389, 87390, 87391, 87534, 87535, 87536, 87537, 87538, 87539, 87806, G0432, G0433, G0435, S3645	None	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> M/F <b>Comment:</b> HIV counseling refer to <a href="#">Preventive screenings and counseling</a>

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Human Papillomavirus (HPV) screening	87623, 87624, 87625	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 30 years and over <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Lead screening	83655	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-6 years <b>Gender:</b> M/F <b>Comment:</b> PCP only

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Lipid screening	80061, 82465, 83718, 83719, 83721, 84478	Z13.220	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Lung Cancer screening	71250	F17.200, F17.201, F17.210, F17.211, F17.290, F17.291, Z87.891, Z12.2	<b>Frequency:</b> 1x/year <b>Age Band:</b> 55-80 years <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Mammography	77067, 0401, 0403	Z12.31, Z12.39	<b>Frequency:</b> 1x/year <b>Age Band:</b> 40+ years <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Maternity, antepartum/prenatal care	59425, 59426	None	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F



**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Maternity, Global	59400,59510,59610,59618	None	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Maternity, initial visit	99201, 99202, 99203, 99204, 99205, 99206, 99207, 99208, 99209, 99210, 99211, 99212, 99213, 99214, 99215	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93, Z32.01, O30.001–O30.003, O30.009, O30.031–O30.033, O30.039, O30.041–O30.043, O30.049, O30.091–O30.093, O30.099, O30.101–O30.103, O30.109, O30.111–O3.113, O30.119, O30.121–O30.123, O30.129, O30.191–O30.193, O30.199, O30.201–O30.203, O30.209, O30.211–O30.213, O30.219, O30.221–O30.223, O30.229, O30.291–O30.293, O30.299, O30.801–O30.803, O30.809, O30.811–O30.813, O30.819, O30.821–O30.823, O30.829, O30.891–O30.893, O30.899	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Medical Nutrition Therapy (Telehealth)	G0270	E66.09, E66.1, E66.8, E66.9, E66.01, Z71.3, Z13.89, Z87.891, Z82.49, Z71.3, Z13.89, Z13.220	<b>Frequency:</b> 2x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Newborn screening, hypothyroidism	84437, 84443	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-100 days <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Newborn screening, PKU	84030	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-100 days <b>Gender:</b> M/F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**



(COMMERCIAL PLANS ONLY)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Newborn screening, sickle cell disease	83020	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-100 days <b>Gender:</b> MF

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Obesity screening and interventions	97802, 97803, 97804, 0942, G0447, S9470, G0270, G0271, G0473	E66.09, E66.1, E66.8, E66.9, E66.01, Z71.3, Z13.89	<b>Frequency:</b> 4x/year <b>Age Band:</b> All <b>Gender:</b> MF

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Osteoporosis screening	76977, 77078, 77080, 77081, 77085, G0130	Z13.820	<b>Frequency:</b> Every 23 months <b>Age Band:</b> 60+ years <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pap smear	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88155, 88164, 88165, 88166, 88167, 88174, 88175	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pregnancy, bacteriuria screening	87086, 87088	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pregnancy, blood count	85025, 85027	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**



(COMMERCIAL PLANS ONLY)

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pregnancy, Hepatitis B screening	87340, 87341	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pregnancy, Rh (D) typing	86901	Z34.00–Z34.03, Z34.80–Z34.83, Z34.90–Z34.93, Z33.1, O09.00–O09.03, O09.10–O09.13, O09.40–O09.43, O09.211–O09.213, O09.219, O09.291–O09.293, O09.299, O09.30–O09.33, O09.511–O09.513, O09.519, O09.521–O09.523, O09.529, O09.611–O09.613, O09.619, O09.621–O09.623, O09.629, O09.899, O09.821–O09.823, O09.829, O09.70–O09.73, O09.811–O09.813, O09.819, O09.891–O09.893, O09.899, O09.90–O09.93	<b>Frequency:</b> Unlimited <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Pregnancy screening panel—includes Hepatitis B, blood count, Rh (D) and syphilis	80055, 80081	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Sexually transmitted infections, counseling	G0445	None	<b>Frequency:</b> 2x/year <b>Age Band:</b> 12 years and over <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Smoking cessation (individual & group counseling)	99406, 99407	Z87.891, F17.200, F17.201, F17.210, F17.211, F17.290, F17.291	<b>Frequency:</b> 8x/year <b>Age Band:</b> All <b>Gender:</b> M/F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Smoking cessation (telephone counseling)	98966, 98967, 98968	Z87.891, F17.200, F17.201, F17.210, F17.211, F17.290, F17.291	<b>Frequency:</b> 8x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Sterilization	58565, 58600, 58605, 58611, 58615, 58670, 58671, A4264	None	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Sterilization (Ancillary services)	00851, 88302, 88305, 0250, 0258, 0270, 0271, 0272, 0278, 0279, 0370, 0710	Z30.012, Z30.2, Z98.51	<b>Frequency:</b> N/A <b>Age Band:</b> All <b>Gender:</b> F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Syphilis screening	86592, 86593, 86780, 87164, 87166, 87285	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
TB testing	86580	None	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-21 years <b>Gender:</b> MF <b>Comment:</b> PCP only
Latent Tuberculosis Screening	86480, 86580	Z00.121, Z00.129, Z11.1, Z20.1	<b>Frequency:</b> 1x/year <b>Age Band:</b> All <b>Gender:</b> M/F

[Back to Top](#)

PREVENTIVE SERVICE	PROCEDURE CODE	ICD-10 PAIRING	GUIDELINES
Vision screening in children	99172, 99173	Z00.121, Z00.129	<b>Frequency:</b> 1x/year <b>Age Band:</b> 0-21 years <b>Gender:</b> M/F

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**  
(COMMERCIAL PLANS ONLY)



**^Note: It is expected that immunizations will be provided in accordance with U.S. Food and Drug Administration licensure and Center for Disease Control (CDC) guidelines. Please refer to CDC's [Child, Adolescent & "Catch-up" Immunization Schedules](#) and CDC's [Adult Immunization Schedule](#).**

IMMUNIZATION^	PROCEDURE CODE	ICD-10 PAIRING
Immunization administration	90460, 90461, 90471, 90472, 90473, 90474	None
Diphtheria	90719	None
Diphtheria, tetanus, acellular pertussis (DTaP)	90700	None
Diphtheria, tetanus (Td)	90718	None
Diphtheria, tetanus, acellular pertussis (Tdap), age 7 or older	90715	None
Diphtheria, tetanus, acellular pertussis, Hepatitis B, polio (DTaP-HepB-IPV)	90723	None
Diphtheria, tetanus, acellular pertussis, HIB (DTaP-HIB)	90721	None
Diphtheria, tetanus, acellular pertussis, HIB, polio (DTaP-HIB-IPV)	90698	None
Diphtheria preservative free, tetanus (Td), age 7 or older	90714	None
DTAP-IPV	90696	None
Hepatitis A	90632, 90633, 90634	None
Hepatitis A/Hepatitis B Combo	90636	None
Hepatitis B	90739, 90740, 90743, 90744, 90746, 90747	None
Hepatitis B/HIB Combo	90748	None
Herpes Zoster Vaccine	90736	None
HIB (Hemophilus influenza b)	90647, 90648	None
HPV (Human Papillomavirus) Vaccine	90649, 90650, 90651	None
Influenza (flu) Vaccine	90630, 90653, 90656, 90658, 90673, 90674, 90682, 90685, 90686, 90687, 90688, 90756	None
	90662 (Fluzone High Dose)	None
Measles Immunization	90705	None
Measles-Mumps-Rubella (MMR) Virus Immunization	90707	None
Measles-Mumps-Rubella-Varcella (MMRV)	90710	None
Measles-Rubella Immunization	90708	None
Meningitis Vaccine	90620, 90621, 90733, 90734	None
Meningitis-HIB Vaccine	90644	None

**A PROVIDER'S GUIDE TO PREVENTIVE HEALTH SERVICES FOR YOUR PATIENTS**

(COMMERCIAL PLANS ONLY)



IMMUNIZATION <sup>^</sup>	PROCEDURE CODE	ICD-10 PAIRING
Pneumococcal Vaccine, 13 valent	90670	None
Pneumococcal Vaccine, over age 2 and adult	90732	None
Poliomyelitis, inactivated (IPV) Immunization	90713	None
Rotavirus Vaccine	90680, 90681	None
Rubella Immunization	90706	None
Varicella	90716	None
Zoster (shingles)	90750	None

[Back to Top](#)

<sup>^</sup>**Note:** It is expected that immunizations will be provided in accordance with U.S. Food and Drug Administration licensure and Center for Disease Control (CDC) guidelines. Please refer to CDC's [Child, Adolescent & "Catch-up" Immunization Schedules](#) and CDC's [Adult Immunization Schedule](#).

PHARMACY	
Aspirin for the prevention of cardiovascular disease	<ul style="list-style-type: none"> <li>Coverage of over-the-counter generic aspirin (<math>\leq 325\text{mg}</math>) when prescribed by a physician</li> <li>Members &lt;60 years of age</li> </ul>

[Back to Top](#)

PHARMACY	
Bowel preparation agents	<ul style="list-style-type: none"> <li>Coverage of generic prescription and certain generic over-the-counter preparation agents for colonoscopy screenings with no cost-share when prescribed by a physician</li> <li>For men and women ages 50-75 years</li> <li>Limited to 2 per year</li> </ul>

[Back to Top](#)

PHARMACY	
Breast cancer primary prevention	<ul style="list-style-type: none"> <li>Coverage of tamoxifen and raloxifene for the purpose of primary prevention of invasive breast cancer for women at high risk, who do not have a prior history of a diagnosis of breast cancer</li> <li>The process for coverage at \$0 requires preauthorization from the prescribing physician</li> <li>Women <math>\geq 35</math> years of age</li> </ul>

[Back to Top](#)

PHARMACY	
Cholesterol/Statin Prevention	<ul style="list-style-type: none"> <li>Coverage of select generic strengths of low to moderate dose statins to prevent cardiovascular disease for individuals at high risk with one or more cardiovascular risk factors, such as dyslipidemia, diabetes, hypertension, or smoking.</li> <li>For Members 40 – 75 years of age</li> </ul>

[Back to Top](#)

PHARMACY	
Contraceptives	<ul style="list-style-type: none"> <li>Diaphragms</li> <li>Mirena, Kyleena (intrauterine device)</li> <li>Generic oral contraceptives</li> <li>Generic emergency contraceptives</li> </ul> <p><b>Comment:</b> Please see <a href="#">ConnectiCare's Drug Lists</a> for more information.</p>

[Back to Top](#)

PHARMACY	
Folic acid supplements for women of child-bearing age	<ul style="list-style-type: none"> <li>• Coverage of generic folic acid supplements (0.4mg through 0.8mg strengths only) with no cost-share when prescribed by a physician</li> <li>• For females through 50 years of age</li> </ul>

[Back to Top](#)

PHARMACY	
Oral fluoride supplements for children	<ul style="list-style-type: none"> <li>• Coverage of generic oral dosage forms of fluoride supplements (<math>\leq 0.5\text{mg/day}</math>) with no cost-share when prescribed by a physician</li> <li>• For children between 0 and 5 years of age</li> </ul>

[Back to Top](#)

PHARMACY	
Smoking Cessation	<ul style="list-style-type: none"> <li>• Coverage of all FDA-approved prescription and OTC tobacco cessation products with no cost share when prescribed by a physician</li> <li>• For members 18 years of age and older</li> </ul>

[Back to Top](#)

PHARMACY	
Vitamin D supplements for fall prevention	<ul style="list-style-type: none"> <li>• Coverage of generic oral prescription and generic over-the-counter single entity vitamin D2, D3 products and combination products that also contain calcium, with Vitamin D doses of <math>\leq 1,000</math> IU per dosage form with no cost-share when prescribed by a physician</li> <li>• For men and women ages 65 and older</li> </ul>

[Back to Top](#)